



Self Adhesive Standard 4.5 Ounce EIFS Mesh – White

Weight (After Coat): 4.5 oz/yd² +/- 0.15 oz/yd² (152g/m² +/-5g/m²)

Weight (Before Coat): 3.9 oz/yd² +/- 0.06 oz/yd² (132.2g/m² +/-2g/m²)

Adhesive: Water Based Acrylic

Mesh Size: 6 x 6 picks per inch (4 x4 picks per mm)

Thickness: 0.0135 inches - .035 cm

Warp: 130 Tex x 2

Weft: 300 Tex

Weave: Leno

Resin Content: 18% +/-2%

Tensile Strength: Warp 150 lbs/in (1300N/50mm)

Weft 185 lbs/in (1600N/50mm)

Alkaline Resistance: After 28-day immersion in 5% Na(OH) solution,
the average retention rate for tensile fracture
strength: $\geq 50\%$

Coating: Alkaline Resistant

10/19