

# Safety Data Sheet

Issue Date: 01-Sep-2012

Revision Date: 01-Dec-2021

Version 4

1. IDENTIFICATION		
Product Identifier		
Product Name	Rescom Urethane Guard Release (Silicone)	
Other means of identification		
SDS #	45812H	
Product Code	45812H	
Synonyms	Rescom Urethane Guard Release Organo Functional Silicone Polymer.	
UN/ID No	UN1950	
Other Information	Formula: 60044.	
Recommended use of the chemica		
Recommended Use	Industrial Urethane release.	
Details of the supplier of the safety	/ data sheet	
Supplier Address		
Rescom Products 12625 Wetmore Road, Suite 220		
San Antonio, Texas 78247		
Emergency Telephone Number Company Phone Number	Phone: 1-210-468-1800	
Emergency Telephone (24 hr)	INFOTRAC 1-352-323-3500	
	(International) 1-800-535-5053 (North America)	
	2. HAZARDS IDENTIFICATION	
Appearance Clear, oily, colorless lid	uid Physical State Aerosol	Odor Slight ether
Classification_		
Flammable Aerosols		Category 2
Gases Under Pressure		Compressed Gas
Signal Word		
Warning		

Hazard Statements Flammable Aerosol Contains gas under pressure; may explode if heated



#### 45812H - Rescom Urethane Guard Release

#### **Precautionary Statements - Prevention**

Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

## Precautionary Statements - Storage

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Synonyms

Rescom Urethane Release Organo Functional Silicone Polymer.

Chemical Name	CAS No	Weight-%
Dimethyl ether	115-10-6	50-60
1,1 difluoroethane	75-37-6	30-40
Organo Functional Silicone Polymer	Proprietary	1-8

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# **4. FIRST-AID MEASURES**

#### First Aid Measures

Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. Call a physician immediately.	
Skin Contact	Wash with soap and water.	
Inhalation	Remove to fresh air.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
Most important symptoms and effects		
Symptoms	Inhalation symptoms may include dizziness and headache. Nausea. Concentrated spray	

may cause freezing of skin area. Direct contact with eyes may cause temporary irritation.

# Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

# Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Foam.

#### Unsuitable Extinguishing Media Not determined.

# Specific Hazards Arising from the Chemical

Aerosols may rupture violently at temperatures above 120 F.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions, protective equipment and emergency procedures		
Personal Precautions	Use personal protective equipment as required.	
Environmental Precautions Methods and material for contain	See Section 12 for additional Ecological Information. ment and cleaning up	
Methods for Containment	Remove leaking container to outside disposal site. Remove all sources of ignition.	
Methods for Clean-Up	Keep in suitable, closed containers for disposal.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on Safe Handling	Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not drop, puncture, or incinerate. Do not spray on floors.	
Conditions for safe storage, inclu	ding any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Do not expose to temperatures exceeding 50 °C/122°F. Protect from direct sunlight.	
Incompatible Materials	Strong oxidizing agents. Water.	
8. E	XPOSURE CONTROLS/PERSONAL PROTECTION	
Exposure Guidelines	Threshold Limit Value: 1000 ppm	
Appropriate engineering controls		
Engineering Controls	Apply technical measures to comply with the occupational exposure limits.	
Individual protection measures, s	uch as personal protective equipment	
Eye/Face Protection	Proper eye care is needed in all industrial operations.	
Skin and Body Protection	Protective gloves are not required, but recommended.	
Respiratory Protection	No protection is ordinarily required under normal conditions of use and with adequate ventilation.	
General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.		
	9. PHYSICAL AND CHEMICAL PROPERTIES	

# Information on basic physical and chemical properties

Physical State	
Appearance	
Color	

Aerosol Clear, oily, colorless liquid Colorless

Odor Odor Threshold Slight ether Not available

Revision Date: 01-Dec-2021

45812H - Rescom Urethane Guard Release

Property pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit	Values Not available <-45°C / <-50°F Not available Not applicable Not available Flammable aerosol Not available Not available	<u>Remarks • Method</u>
Vapor Pressure Vapor Density <u>Property</u> Specific Gravity Water Solubility Solubility in other solvents Partition Coefficient	Not available >1 <u>Values</u> 0.81 Partially soluble Not available Not available	(Air=1) <u>Remarks • Method</u> (Water = 1)
Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties Density	Not available Not available Not available Not available Not available Not available Weight per gallon: 6.79	

# **10. STABILITY AND REACTIVITY**

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### Hazardous Polymerization

Hazardous polymerization does not occur.

# Conditions to Avoid

Open flames and hot glowing objects.

## Incompatible Materials

Strong oxidizing agents. Water.

#### Hazardous Decomposition Products

None known based on information supplied.

**11. TOXICOLOGICAL INFORMATION** 

# Information on likely routes of exposure

Product Information	
Eye Contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Inhalation	Do not inhale.
Ingestion	Do not ingest.

#### 45812H - Rescom Urethane Guard Release

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dimethyl ether	-	-	= 308.5 mg/L (Rat) 4 h
115-10-6			

#### Information on physical, chemical and toxicological effects

#### Symptoms

Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

# Numerical measures of toxicity

Not determined

# **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

#### Persistence/Degradability

Not determined.

## **Bioaccumulation**

Not determined.

# Mobility

Chemical Name	Partition Coefficient
Dimethyl ether	-0.18
115-10-6	

#### Other Adverse Effects

Not determined

# **13. DISPOSAL CONSIDERATIONS**

## Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

# **14. TRANSPORT INFORMATION**

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. Based on package size, product may be eligible for limited quantity exception.
<u>DOT</u>	(each not exceeding 1 L capacity)
UN/ID No	UN1950
Proper Shipping Name	Aerosols
Hazard Class	2.1

45812H - Rescom Urethane Guard Release

IATA_	
UN/ID No	UN1950
Proper Shipping Name	Aerosols, flammable
Hazard Class	2.1
IMDG	
UN/ID No	UN1950
Proper Shipping Name	Aerosols
Hazard Class	2.1

# **15. REGULATORY INFORMATION**

#### International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Dimethyl ether	Present	Х		Present		Present	Х	Present	Х	Х
1,1 difluoroethane	Present	Х		Present		Present	Х	Present	Х	Х
Organo Functional Silicone Polymer	Present	Х		Present			Х	Present	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

## <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## US State Regulations

## California Proposition 65

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Dimethyl ether	Х	X	Х
115-10-6	X	X	
1,1 difluoroethane	X	X	
75-37-6			

#### Revision Date: 01-Dec-2021

# **16. OTHER INFORMATION**

NFPA Health Hazards		Flammability	Instability	Special Hazards	
Not determined		Not determined	Not determined	Not determined	
<u>HMIS</u>	Health Hazards	Flammability	<b>Physical Hazards</b>	Personal Protection	
	1	3	0	B	
Issue Date:	01-Sep-	2012			
Revision Date:	01-Dec-2021				

Regulatory update

#### Disclaimer

**Revision Note:** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**